

DECLARATION OF PERFORMANCE

According to the Regulation (EU) No.305/2011

No. GADB001/6

HIDROZIM FLUID



- Unique identification code of the product-type: GADB001
- 2. Intended use/uses:

According to EN 934-2:T12, set accelerating/water reducing/plasticizing admixture for concrete

3. Manufacturer:

ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia

4. Authorised representative:

1

- System or systems of Assessment and Verification of Constancy of Performance (AVCP):
 System 2+
- 6a. Harmonised standard:

EN 934-2:2009+A1:2012

Notified body:

Building Research Institute (N I S I) Ltd, 1618 Sofia, Bulgaria, №86 Nikola Petkov Blvd ("Научноизследователски строителен институт – НИСИ" ЕООД, Р. България, София 1618, бул. "Никола Петков" № 86) - notified body for construction products, with identification number NB 2032 in European Commission register performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+.







7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification	
Chloride ion content	≤ 0,1% by mass		
Alkali content	≤ 1,0% by mass		
Corrosion behaviour	Contains the following components from EN 934-1: 2008, Annex A.2: Nitrates	013	012
Compressive strength	(at equal consistence – T12)	934-2+A1:2013	934-2:2009+A1:2012
	At 28 days: Test mix ≥ 100 % of control mix	-2+	7+60
Setting time	Initial setting time	934	:200
	At 20°C: test mix ≥ 30 min	N N	34-2
	At 5°C: test mix ≤ 60 % of control mix	MKC	NE NE
Water reduction	In test mix ≥ 5 % compared with control mix	≥	Ш
Air content	Test mix ≤ 2 % by volume above control mix		
Dangerous substances	No performance determined		

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with the Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by: General Manager,

Blagoja Donchev, Civ. Eng.

Skopje, 16.06.2021







CE MARKING

Annex to DoP No. GADB001/6

ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, North Macedonia

17

GADB001/6

EN 934-2:2009+A1:2012

HIDROZIM FLUID

Set accelerating/water reducing/plasticizing admixture for concrete

EN 934-2:T12

Chloride ion content ≤ 0,1% by mass Alkali content ≤ 1,0% by mass

Corrosion behaviour Contains the following components from

EN 934-1: 2008, Annex A.2: Nitrates

Compressive strength (at equal consistence - T12)

At 28 days: Test mix ≥ 100 % of control mix

Setting time **Initial setting time**

At 20°C: test mix ≥ 30 min

At 5°C: test mix ≤ 60 % of control mix

Water reduction In test mix ≥ 5 % compared with control mix

Air content Test mix ≤ 2 % by volume above control mix

No performance determined Dangerous substances

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)
Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

Information and advice on safe handling, storage and disposal of the chemical product are contained in the chemical product are contained in the chemical product are contained in the chemical containe



