

DECLARATION OF PERFORMANCE

According to the Regulation (EU) No.305/2011

No. GKDH0XX/6

ADINGKOLOR RF



 Unique identification code of the product: GKDH0XX

2. Intended use/uses:

According to EN 1504-2:ZA.1, coating for surface protection and improved physical resistance of concrete.

This product is intended for:

- Physical resistance/ Surface improvement (Method 5.1 according to EN 1504-9)
- 3. Manufacturer:

ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia

4. Authorised representative:

1

- System or systems of Assessment and Verification of Constancy of Performance (AVCP):
 System 2+
- 6a. Harmonised standard:

EN 1504-2:2004

Notified body:

Building Research Institute (N I S I) Ltd, 1618 Sofia, Bulgaria, №86 Nikola Petkov Blvd ("Научноизследователски строителен институт – НИСИ" ЕООД, Р. България, София 1618, бул. "Никола Петков" № 86) - notified body for construction products, with identification number NB 2032 in European Commission register performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+.







7. Declared performances:

Essential Characteristics	Performance	techn	Harmonised technical specification	
Adhesion strength by pull-off test	≥ 2,0 N/mm ²	9		
Capillary absorption and permeability to water	$w < 0.1 \text{ kg/m}^2 \cdot h^{0.5}$	504-2:2006	EN 1504-2:2004	
Abrasion resistance	< 3000 mg	504		
Impact resistance	Class I ≥ 4 Nm After loading, no cracks, no delamination	C EN 1		
Reaction to fire	Class F	■ MKC	_	
Dangerous substances	No performance determined			

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with the Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

> Signed for and on behalf of the manufacturer by: General Manager,

Blagoja Donchev, Civ. Eng.

Skopje, 24.06.2021







AMK-423-201-25/rev. 1

CE MARKING

Annex to DoP No.GKDH0XX/6

ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, North Macedonia

17

GKDH0XX/6

EN 1504-2:2004

ADINGKOLOR RF

Coating for surface protection and improved physical resistance of concrete

Adhesion strength by pull-off ≥ 2,0 N/mm²

test

Capillary absorption and

permeability to water

 $w < 0.1 \text{ kg/m}^2 \cdot h^{0.5}$

Abrasion resistance < 3000 mg

Impact resistance Class I ≥ 4 Nm

After loading, no cracks, no delamination

Reaction to fire

Class F

No performance determined Dangerous substances

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

Information and artvine on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

Information and advice on Sale harmaning, surrage and disposal of the differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.





