

DECLARATION OF PERFORMANCE

According to the Regulation (EU) No.305/2011

No. GKFH0XX/4

1. Unique identification code of the product-type:

GKFH0XX

EN 15824:ZA.1, decorative external render with uniform texture based on organic binder

2. Intended use/uses:

This product is used in residential and commercial buildings for decorative and protective finish of exterior surfaces

3. Manufacturer:

ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia

4. Authorised representative:

/

5. System or systems of AVCP:

System 4

6a. Harmonised standard:

EN 15824:2009

Notified body:

1







7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification	
Water vapour permeability	V₂ medium	10	
Water absorption	W ₂ medium	4:20	600
Adhesion	≥ 0.3 MPa	S EN 15824:2010	EN 15824:2009
Durability (freeze-thaw resistance)	Permeability rate as specified in EN 1062-3 ≤ 0.5 kg/(m ² ·h ^{0.5})		
Thermal conductivity	No performance determined	MKC	Ш
Reaction to fire	Class F	_	

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with the Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

General Manager,

Zoran Petrovski, Eng.Arch.

OnJ

Skopje, 23.02.2022







CE MARKING

Annex to DoP No.GKFH0XX/4

CE

ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, North Macedonia

15

GKFH0XX/4

EN 15824:2009

HIDROFAS 1

Decorative external render with uniform texture

Water vapour permeability V₂ medium

Water absorption W₂ medium

≥ 0.3 MPa Adhesion

Durability (freeze-thaw Permeability rate as specified in EN 1062-3

 $\leq 0.5 \text{ kg/(m}^2 \cdot \text{h}^{0.5})$

Thermal conductivity No performance determined

Class F Reaction to fire

resistance)

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)
Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

Information and advice on Sale transuling, surrage and disposal of the discharge and the discharge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.



