



DECLARATION OF PERFORMANCE

According to the Regulation (EU) No.305/2011

No. GKFF0XX/4

HIDROFAS Z



- Unique identification code of the product-type: GKFF0XX EN 15824:ZA.1, decorative external render with coarse-grained texture based on organic binder
- Intended use/uses:
 This product is used in residential and commercial buildings for decorative and protective finish of exterior surfaces
- 3. Manufacturer: ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia
- 4. Authorised representative:
- 5. System or systems of AVCP: System 4
- 6a. Harmonised standard: EN 15824:2009

Notified body:







7. Declared performances:

Essential Characteristics	Performance Harmonised technical specification		nical
Water vapour permeability	V₂ medium	10	
Water absorption	W ₂ medium	4:20	600
Adhesion	≥ 0.3 MPa	582	5824:201 24:2009
Durability (freeze-thaw resistance)	Permeability rate as specified in EN 1062-3 ≤ 0.5 kg/(m ² ·h ^{0.5})	EN 1	EN 15824:2009
Thermal conductivity	No performance determined	MKC	ш
Reaction to fire	Class F		

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with the Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

BONNA

ADIAHI AA CAONJE

Skopje, 23.02.2022

Signed for and on behalf of the manufacturer by:

Keneral Manager,

Nely

Zoran Petrovski, Arch.Eng.







CE MARKING

Annex to DoP No.GKFF0XX/4

	ADING AD Skopje,
	Novoselski pat (ul 1409) br.11
1	060 Skopje, North Macedonia
	15
	GKFF0XX/4
	EN 15824:2009
	HIDROFAS Z
Decorative	external render with coarse-grained texture
Water vapour permeability	V ₂ medium
Water absorption	W₂ medium
Adhesion	≥ 0.3 MPa
Durability (freeze-thaw resistance)Permeability rate as specified in EN 1062-3 ≤ 0.5 kg/(m²·h⁰.⁵)	
Thermal conductivity No performance determined	
Reaction to fire	Class F

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH) Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS). NOTE The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.

