

DECLARATION OF PERFORMANCE

According to Regulation (EU) No.305/2011

No. GKFF0XX/5

HIDROFAS Z

CE

 Unique identification code of the product-type: GKFF0XX

EN 15824:ZA.1, decorative external render with coarse-grained texture based on organic binder

- Intended use/uses:
 This product is used in residential and commercial buildings for decorative and protective finish of exterior surfaces
- 3. Manufacturer: ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia
- 4. Authorised representative:
- 5. System or systems of AVCP: System 4
- 6a. Harmonised standard: EN 15824:2009

Notified body:



7. Declared performances:

Essential Characteristics	Performance	tech	Harmonised technical specification	
Water vapour permeability	V₂ medium	10		
Water absorption	W ₂ medium	5824:2010	600	
Adhesion	≥ 0.3 MPa	582	24:2	
Durability (freeze-thaw resistance)	Permeability rate as specified in EN 1062-3 ≤ 0.5 kg/(m ² ·h ^{0.5})	EN 1	EN 15824:2009	
Thermal conductivity	No performance determined	MKC	ш	
Reaction to fire	Class F			

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with the Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

General Manager **AD**14 A 6 E ron Zoran Petrovski

Signed for and on behalf of the manufacturer by:

Skopje, 03.11.2023



CE MARKING

Annex to DoP No.GKFF0XX/5

	(F	
	ADING AD Skopje,	
	Novoselski pat (ul 1409) br.11	
	1060 Skopje, North Macedonia	
	15	
	GKFF0XX/5	
EN 15824:2009		
	HIDROFAS Z	
Decorativ	e external render with coarse-grained texture	
Water vapour permeability	V ₂ medium	
Water absorption	W ₂ medium	
Adhesion	≥ 0.3 MPa	
Durability (freeze-thaw resistance)	Permeability rate as specified in EN 1062-3 ≤ 0.5 kg/(m²⋅h ^{₀.5})	
Thermal conductivity	No performance determined	
Reaction to fire	Class F	

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS). NOTE

The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.