



## **DECLARATION OF PERFORMANCE**

According to Regulation (EU) No.305/2011

No. GGAB001/4

### ADINGPOKS TER

CE

- 1. Unique identification code of the product: **GGAB001**
- 2. Intended use/uses:

According to EN 1504-2:ZA.1f and EN 1504-2:ZA.1g epoxy coating for surface protection of concrete and improved physical and chemical resistance. This product is intended for:

- Physical resistance Method 5.1 according to EN 1504-2 (Method 5.1 according to EN 1504-9)
- Chemical resistance Method 6.1 according to EN 1504-2 (Method 6.1 according to EN 1504-9)
- 3. Manufacturer: ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia
- 4. Authorised representative:
  - /
- 5. System or systems of AVCP: System 2+
- 6a. Harmonised standard: EN 1504-2:2004

#### Notified body:

Building Research Institute (N I S I) Ltd, 1618 Sofia, Bulgaria, №86 Nikola Petkov Blvd - notified body for construction products, with identification number NB 2032 in European Commission register performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+ and issued <u>Certificate of conformity of the factory production control</u>.



#### 7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification	
Capillary absorption and permeability to water	w < 0,1 kg/m²·h <sup>0,5</sup>		
Adhesion strength by pull-off test	≥ 2,0 N/mm <sup>2</sup>		
Impact resistance	Class I ≥ 4 Nm		
	After loading, no cracks, no delamination	900	<del></del>
Abrasion resistance	< 3000 mg	MKC EN 1504-2:2006 FN 1504-2:2004	200
Resistance to severe chemical attack	Class II: 28 days without pressure		EN 1504-2::
	<ul> <li>≤ 50% reduction in Shore hardness after treatment in test liquids: petrol; diesel and motor oil;</li> <li>10% CH<sub>3</sub>COOH; 20% H<sub>2</sub>SO<sub>4</sub>; 20% NaOH; 20% NaCI</li> </ul>		
Chemical resistance	No visible changes after 30 days exposure to test chemicals		
	(Test chemicals are given in TDS)		
Reaction to fire	Class F	]	
Dangerous substances	No performance determined		

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by: General Manager, 6 E ONJ Petrovski, arch.eng. Zorah

Skopje, 08.02.2024



# **CE MARKING**

Annex to DoP No. GGAB001/4

	2032	
	ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, North Macedonia	
	20	
	GGAB001/4	
	EN 1504-2:2004 ADINGPOKS TER	
Ероху со	ating for surface protection of concrete and	
impi	roved physical and chemical resistance	
Capillary absorption and permeability to water	w < 0,1 kg/m²·h <sup>0,5</sup>	
Adhesion strength by pull-off test	≥ 2,0 N/mm²	
Impact resistance	Class I ≥ 4 Nm	
	After loading, no cracks, no delamination	
Abrasion resistance	< 3000 mg	
Resistance to severe	Class II: 28 days without pressure	
chemical attack	≤ 50% reduction in Shore hardness after treatment in test liquids: petrol; diesel and motor oil;	
	10% CH₃COOH; 20% H₂SO₄; 20% NaOH; 20% NaCl	
Chemical resistance	No visible changes after 30 days exposure to test chemicals	
	(Test chemicals are given in TDS)	
Reaction to fire	Class F	
Dangerous substances	No performance determined	

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH) Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

NOTE The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.