

DECLARATION OF PERFORMANCE

According to Regulation (EU) No.305/2011 No. GADA001/7

HIDROZIM T



- Unique identification code of the product-type: GADA001
- 2. Intended use/uses:

According to EN 934-2:T6, set accelerating admixtures for concrete

3. Manufacturer:

ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia

4. Authorised representative:

1

5. System or systems of AVCP:

System 2+

6a. Harmonised standard:

EN 934-2:2009+A1:2012

Notified body:

Building Research Institute (N I S I) Ltd, 1618 Sofia, Bulgaria, №86 Nikola Petkov Blvd - notified body for construction products, with identification number NB 2032 in European Commission register performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+ and issued Certificate of conformity of the factory production control.



7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification
Chloride ion content	≤ 0,1% by mass	
Alkali content	≤ 2,0% by mass	
Corrosion behaviour	Contains the following components from EN 934-1: 2008, Annex A.2: Nitrates	
Compressive strength	(at equal consistence – T6)	013
	At 28 days: Test mix ≥ 80 % control mix	1:20
	At 90 days: Test mix ≥ test mix at 28 days	¥
Air content	Test mix ≤ 2 % by volume above control mix	C EN 934-2+A1:2013
Setting time	Initial setting time	EN 9:
	At 20°C: test mix ≥ 30 min	C E
	At 5°C: test mix ≤ 60 % of control mix	MKC EN 93
Hardening time/ strength development	(at equal consistence - T6)	
	At 28 days: Test mix ≥ 80 % control mix	
	At 90 days: Test mix ≥ test mix at 28 days	
Dangerous substances	No performance determined	

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

General Manager,

Zoran Petrovski, arch.eng.

Skopje, 20.10.2023



CE MARKING

Annex to DoP No. GADA001/7

 ϵ

2032

ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, North Macedonia

09

GADA001/7

EN 934-2:2009+A1:2012

HIDROZIM T

Set accelerating admixture for concrete

EN 934-2:T6

Chloride ion content ≤ 0,1% by mass
Alkali content ≤ 2,0% by mass

Corrosion behaviour Contains the following components from

EN 934-1: 2008, Annex A.2: Nitrates

Compressive strength (at equal consistence – T6)

At 28 days: Test mix ≥ 80 % control mix

At 90 days: Test mix ≥ test mix at 28 days

Air content Test mix ≤ 2 % by volume above control mix

Setting time Initial setting time

At 20°C: test mix ≥ 30 min

At 5°C: test mix ≤ 60 % of control mix

Hardening time/ (at equal consistence – T6)

strength development At 28 days: Test mix ≥ 80 % control mix

At 90 days: Test mix ≥ test mix at 28 days

Dangerous substances No performance determined

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

NOTE

The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.